

**GroupId:** org.squashtest

**ArtifactId:** execution-report-test-sample

**Version:** 1.0-SNAPSHOT

**Execution date:** 06/17/2013 11:15:53

Test Set	Tests	Successes	Failures	Errors	Not run	Success Rate	Time (s)
<a href="#">tests.F01.ScriptsTA.Set1</a>	17	2	6	9	0	11,765%	1,574
<a href="#">tests.F01.ScriptsTA.Set2</a>	1	0	0	0	1	0%	0,017
<a href="#">tests.F01.ScriptsTA.Set3</a>	1	0	0	0	1	0%	0,01
<a href="#">tests.F01.ScriptsTA.Set4</a>	1	0	0	1	0	0%	0,043
<a href="#">tests.F01.ScriptsTA.Set5</a>	1	0	1	0	0	0%	0,034
Total:	21	2	7	10	2	9,524%	1,678

Note:

- "failures" are anticipated and checked for assertions whereas "errors" are unanticipated.
- "not run" means that the test case was not run, due to an error / failure occurred during the ecosystem setup phase.
- The ecosystem might end up with an "error" or "failure" status, even if all its test cases were successful. It means an error / failure occurred during the ecosystem teardown phase.

## tests.F01.ScriptsTA.Set1

Script	Status	Time (s)
<a href="#">setup.ta</a>	Success	0,007
<a href="#">UC01.01_Success.ta</a>	Success	0,024
<a href="#">UC01.02_Error_in_setup_phase.ta</a>	Error	0,013
<a href="#">UC01.03_Error_in_test_phase.ta</a>	Error	0,011
<a href="#">UC01.04_Error_in_teardown_phase.ta</a>	Error	0,012
<a href="#">UC01.05_Failure_in_setup_phase.ta</a>	Failure	0,01
<a href="#">UC01.06_Failure_in_test_phase.ta</a>	Failure	0,009
<a href="#">UC01.07_Failure_in_teardown_phase.ta</a>	Failure	0,01
<a href="#">UC01.08_Error_in_setup_phase_verify.ta</a>	Error	0,018
<a href="#">UC01.09_Error_in_test_phase_verify.ta</a>	Error	0,015
<a href="#">UC01.10_Error_in_teardown_phase_verify.ta</a>	Error	0,017
<a href="#">UC01.11_Failure_in_setup_phase_verify.ta</a>	Failure	0,017
<a href="#">UC01.12_Failure_in_test_phase_verify.ta</a>	Failure	0,013
<a href="#">UC01.13_Failure_in_teardown_phase_verify.ta</a>	Failure	0,101
<a href="#">UC01.14_Mix_up.ta</a>	Error	0,033
<a href="#">UC01.15_syntax_error.ta</a>	Success	0,002
<a href="#">UC01.16_sahi_error.ta</a>	Error	1,147
<a href="#">UC01.17_shortcut.ta</a>	Error	0,028
<a href="#">teardown.ta</a>	Success	0

[\[Back to top\]](#)

### setup.ta

Status: Success

Time (s): 0,007

#### Test steps

[None]

Line

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

### UC01.01\_Success.ta

Status: Success  
Time (s): 0,024

Test steps		Line
<b>TEST :</b>		
<input checked="" type="checkbox"/>	LOAD file.txt AS file	2
<input checked="" type="checkbox"/>	ASSERT file DOES contain WITH \$(Hello) USING \$(Plop)	3

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

## ● UC01.02\_Error\_in\_setup\_phase.ta

Status: Error  
Time (s): 0,013

Test steps		Line
<b>SETUP :</b>		
<input checked="" type="checkbox"/>	LOAD file.txt AS file	2
<input checked="" type="checkbox"/>	<input type="checkbox"/> ASSERT wrongId DOES contain WITH \$(Hello) <input checked="" type="checkbox"/> \$(Hello) --> { {__temp709}} <input checked="" type="checkbox"/> ASSERT wrongId DOES contain WITH { {__temp709}} <input type="checkbox"/> ASSERT wrongId DOES contain WITH { {__temp709}}: Cannot apply assertion : . SCOPE_TEST:wrongId does not exist in this test context: you must load it first.  org.squashtest.ta.backbone.exception.ResourceNotFoundException: ASSERT wrongId DOES contain WITH { {__temp709}}: Cannot apply assertion : . SCOPE_TEST:wrongId does not exist in this test context: you must load it first. at org.squashtest.ta.backbone.engine.instructionrunner.AbstractDefaultInstructionRunner.throwResourceNotFound(AbstractDefaultInstructionRunner.java:146) at org.squashtest.ta.backbone.engine.instructionrunner.AbstractDefaultInstructionRunner.throwResourceNotFound(AbstractDefaultInstructionRunner.java:142) at org.squashtest.ta.backbone.engine.instructionrunner.AbstractDefaultInstructionRunner.fetchResourceOrFail(AbstractDefaultInstructionRunner.java:185) at org.squashtest.ta.backbone.engine.instructionrunner.DefaultBinaryAssertionRunner.getActualResult(DefaultBinaryAssertionRunner.java:136) at org.squashtest.ta.backbone.engine.instructionrunner.DefaultBinaryAssertionRunner.doRun(DefaultBinaryAssertionRunner.java:85) at org.squashtest.ta.backbone.engine.instructionrunner.AbstractDefaultInstructionRunner.run(AbstractDefaultInstructionRunner.java:69) at org.squashtest.ta.backbone.engine.impl.TestRunnerImpl.runInstruction(TestRunnerImpl.java:189) at org.squashtest.ta.backbone.engine.impl.TestRunnerImpl.runInstructionList(TestRunnerImpl.java:138) at org.squashtest.ta.backbone.engine.impl.TestRunnerImpl.runMetaInstruction(TestRunnerImpl.java:161) at org.squashtest.ta.backbone.engine.impl.TestRunnerImpl.runInstructionList(TestRunnerImpl.java:136) at org.squashtest.ta.backbone.engine.impl.TestRunnerImpl.runPhase(TestRunnerImpl.java:126) at org.squashtest.ta.backbone.engine.impl.TestRunnerImpl.runTest(TestRunnerImpl.java:105) at org.squashtest.ta.backbone.engine.impl.EcosystemRunnerImpl.runAllTests(EcosystemRunnerImpl.java:183) at org.squashtest.ta.backbone.engine.impl.EcosystemRunnerImpl.run(EcosystemRunnerImpl.java:101) at org.squashtest.ta.backbone.engine.impl.SuiteRunnerImpl.execute(SuiteRunnerImpl.java:64) at org.squashtest.ta.backbone.engine.impl.EngineImpl.execute(EngineImpl.java:64) at org.squashtest.ta.maven.SquashTAMojo.executeImpl(SquashTAMojo.java:202) at org.squashtest.ta.maven.AbstractSquashTAMojo.execute(AbstractSquashTAMojo.java:214) at org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:101) at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:209) at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153) at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145) at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:84) at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:59) at org.apache.maven.lifecycle.internal.LifecycleStarter.singleThreadedBuild(LifecycleStarter.java:183) at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:161) at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:320) at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:156) at org.apache.maven.cli.MavenCli.execute(MavenCli.java:537) at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:196) at org.apache.maven.cli.MavenCli.main(MavenCli.java:141) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25) at java.lang.reflect.Method.invoke(Method.java:597) at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:290) at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:230) at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:409) at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:352)	3
<input type="checkbox"/>	ASSERT file DOES contain WITH \$(Hello)	4
<b>TEST :</b>		
<input type="checkbox"/>	ASSERT file DOES contain WITH \$(Hello)	7
<b>TEARDOWN :</b>		
<input checked="" type="checkbox"/>	ASSERT file DOES contain WITH \$(Hello)	10

### Attachments

[EXPECTED\\_RESULT-{{ \\_\\_temp709}}](#)

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

## ● UC01.03\_Error\_in\_test\_phase.ta

Status: Error  
Time (s): 0,011

Test steps		Line
<b>SETUP :</b>		
<input checked="" type="checkbox"/>	LOAD file.txt AS file	2
<b>TEST :</b>		

	ASSERT wrongId DOES contain WITH \$(Hello)	5
	ASSERT file DOES contain WITH \$(Hello)	6
<b>TEARDOWN :</b>		
	ASSERT file DOES contain WITH \$(Hello)	9

#### Attachments

[EXPECTED\\_RESULT-{{ temp915}}](#)

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

### UC01.04\_Error\_in\_teardown\_phase.ta

Status: Error  
Time (s): 0,012

Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
<b>TEST :</b>		
	ASSERT file DOES contain WITH \$(Hello)	5
<b>TEARDOWN :</b>		
	ASSERT wrongId DOES contain WITH \$(Hello)	8
	ASSERT file DOES contain WITH \$(Hello)	9

#### Attachments

[EXPECTED\\_RESULT-{{ temp946}}](#)

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

### UC01.05\_Failure\_in\_setup\_phase.ta

Status: Failure  
Time (s): 0,01

Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
	ASSERT file DOES contain WITH \$(rubbish)	3
	ASSERT file DOES contain WITH \$(Hello)	4
<b>TEST :</b>		
	ASSERT file DOES contain WITH \$(Hello)	7
<b>TEARDOWN :</b>		
	ASSERT file DOES contain WITH \$(Hello)	10

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

### UC01.06\_Failure\_in\_test\_phase.ta

Status: Failure  
Time (s): 0,009

Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
<b>TEST :</b>		
	ASSERT file DOES contain WITH \$(rubbish)	5
	ASSERT file DOES contain WITH \$(Hello)	6
<b>TEARDOWN :</b>		
	ASSERT file DOES contain WITH \$(Hello)	9

### ● UC01.07\_Failure\_in\_teardown\_phase.ta

Status: Failure  
Time (s): 0,01

Test steps		Line
<b>SETUP :</b>		
●	LOAD file.txt AS file	2
<b>TEST :</b>		
●	ASSERT file DOES contain WITH \$(Hello)	5
<b>TEARDOWN :</b>		
●	ASSERT file DOES contain WITH \$(Hello)	8
●	ASSERT file DOES contain WITH \$(Hello)	9

### ● UC01.08\_Error\_in\_setup\_phase\_verify.ta

Status: Error  
Time (s): 0,018

Test steps		Line
<b>SETUP :</b>		
●	LOAD file.txt AS file	2
●	VERIFY wrongId DOES contain WITH \$(Hello)	3
●	ASSERT file DOES contain WITH \$(Hello)	4
<b>TEST :</b>		
●	ASSERT file DOES contain WITH \$(Hello)	7
<b>TEARDOWN :</b>		
●	ASSERT file DOES contain WITH \$(Hello)	10

#### Attachments

[EXPECTED\\_RESULT-{{ temp496}}](#)

### ● UC01.09\_Error\_in\_test\_phase\_verify.ta

Status: Error  
Time (s): 0,015

Test steps		Line
<b>SETUP :</b>		
●	LOAD file.txt AS file	2
<b>TEST :</b>		
●	VERIFY wrongId DOES contain WITH \$(Hello)	5
●	ASSERT file DOES contain WITH \$(Hello)	6
<b>TEARDOWN :</b>		
●	ASSERT file DOES contain WITH \$(Hello)	9

#### Attachments

[EXPECTED\\_RESULT-{{ temp58}}](#)

### ● UC01.10\_Error\_in\_teardown\_phase\_verify.ta

Status: Error  
Time (s): 0,017

Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
<b>TEST :</b>		
	ASSERT file DOES contain WITH \$(Hello)	5
<b>TEARDOWN :</b>		
	<input type="checkbox"/> VERIFY wrongId DOES contain WITH \$(Hello)	8
	ASSERT file DOES contain WITH \$(Hello)	9
<b>Attachments</b>		
<a href="#">EXPECTED_RESULT-{{ temp435}}</a>		

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)


UC01.11_Failure_in_setup_phase_verify.ta		
Status: Failure		
Time (s): 0,017		
Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
	<input type="checkbox"/> VERIFY file DOES contain WITH \$(rubbish)	3
	ASSERT file DOES contain WITH \$(Hello)	4
<b>TEST :</b>		
	ASSERT file DOES contain WITH \$(Hello)	7
<b>TEARDOWN :</b>		
	ASSERT file DOES contain WITH \$(Hello)	10

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

UC01.12_Failure_in_test_phase_verify.ta		
Status: Failure		
Time (s): 0,013		
Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
	<input type="checkbox"/> VERIFY file DOES contain WITH \$(rubbish)	5
	ASSERT file DOES contain WITH \$(Hello)	6
<b>TEARDOWN :</b>		
	ASSERT file DOES contain WITH \$(Hello)	9

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)







UC01.13_Failure_in_teardown_phase_verify.ta		
Status: Failure		
Time (s): 0,101		
Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
<b>TEST :</b>		
	ASSERT file DOES contain WITH \$(Hello)	5
<b>TEARDOWN :</b>		
	<input type="checkbox"/> VERIFY file DOES contain WITH \$(rubbish)	8

 ASSERT file DOES contain WITH \$(Hello)	9
---	---

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

## UC01.14\_Mix\_up.ta

Status: Error  
Time (s): 0,033

Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
	 VERIFY file DOES contain WITH \$(rubbish)	3
	 VERIFY wrongId DOES contain WITH \$(Hello)	4
	 ASSERT file DOES contain WITH \$(rubbish)	5
	ASSERT file DOES contain WITH \$(Hello)	6
<b>TEST :</b>		
	ASSERT file DOES contain WITH \$(Hello)	9
<b>TEARDOWN :</b>		
	 VERIFY file DOES contain WITH \$(rubbish)	12
	 VERIFY wrongId DOES contain WITH \$(Hello)	13
	ASSERT file DOES contain WITH \$(Hello)	14
	 ASSERT file DOES contain WITH \$(rubbish)	15

### Attachments

[EXPECTED\\_RESULT-{{ temp853}}](#)

[EXPECTED\\_RESULT-{{ temp220}}](#)

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

## UC01.15\_syntax\_error.ta

Status: Success  
Time (s): 0,002

Test steps		Line
<b>TEST :</b>		
	LOAD file.txt AS file	2

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

## UC01.16\_sahi\_error.ta




Status: Error  
Time (s): 1,147

Test steps		Line
<b>TEST :</b>		
	 # EXECUTE_SAHИ sahi_script.sah ON google USING sahi_config.properties	2




[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#)

## UC01.17\_shortcut.ta

Status: Error  
Time (s): 0,028

Test steps		Line
<b>SETUP :</b>		
	 # VERIFY FILE file.txt CONTAINS PATTERN rubbish	4
	# VERIFY FILE file.txt CONTAINS PATTERN Hello	5

**TEST :**

	LOAD file.txt AS file.file	9
	VERIFY file.file DOES contain WITH Hello	10
	VERIFY file.file DOES contain WITH Hello: Cannot apply assertion : . SCOPE_TEST:Hello does not exist in this test context: you must load it first.	

**Attachments**[ACTUAL\\_RESULT-file.file](#)[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#) **teardown.ta**

Status: Success




Time (s): 0

**Test steps**

Line

[None]

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set1\]](#) **tests.F01.ScriptsTA.Set2**

Script	Status	Time (s)
 <a href="#">setup.ta</a>	Error	0,008
 <a href="#">UC01.01_Success.ta</a>	Not run	
 <a href="#">teardown.ta</a>	Error	0,009

[\[Back to top\]](#) **setup.ta**

Status: Error

Time (s): 0,008

**Test steps**

Line

**TEST :**

	LOAD file.txt AS file	1
	 ASSERT wrongId DOES contain WITH \$(Hello)	2
	ASSERT file DOES contain WITH \$(Hello)	3

**Attachments**[EXPECTED\\_RESULT-{{ temp548}}](#)[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set2\]](#) **teardown.ta**

Status: Error

Time (s): 0,009

**Test steps**

Line

**TEST :**

	ASSERT file DOES contain WITH \$(Hello)	1
	 ASSERT wrongId DOES contain WITH \$(Hello)	2
	ASSERT file DOES contain WITH \$(Hello)	3

**Attachments**[EXPECTED\\_RESULT-{{ temp924}}](#)[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set2\]](#)

## ● tests.F01.ScriptsTA.Set3

Script	Status	Time (s)
● <a href="#">setup.ta</a>	Failure	0,005
○ <a href="#">UC01.01_Success.ta</a>	Not run	
● <a href="#">teardown.ta</a>	Failure	0,003

[\[Back to top\]](#)

### ● setup.ta

Status: Failure  
Time (s): 0,005

Test steps	Line
<b>TEST :</b>	
● LOAD file.txt AS file	1
● <input checked="" type="checkbox"/> ASSERT file DOES contain WITH \$(rubbish)	2
○ ASSERT file DOES contain WITH \$(Hello)	3

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set3\]](#)

### ● teardown.ta

Status: Failure  
Time (s): 0,003

Test steps	Line
<b>TEST :</b>	
● <input checked="" type="checkbox"/> ASSERT file DOES contain WITH \$(rubbish)	1
○ ASSERT file DOES contain WITH \$(Hello)	2

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set3\]](#)

## ● tests.F01.ScriptsTA.Set4

Script	Status	Time (s)
● <a href="#">setup.ta</a>	Error	0,011
● <a href="#">UC01.09_Error_in_test_phase_verify.ta</a>	Error	0,016
● <a href="#">teardown.ta</a>	Error	0,014

[\[Back to top\]](#)

### ● setup.ta

Status: Error  
Time (s): 0,011

Test steps	Line
<b>TEST :</b>	
● LOAD file.txt AS file	1
● <input checked="" type="checkbox"/> VERIFY wrongId DOES contain WITH \$(Hello)	2
● ASSERT file DOES contain WITH \$(Hello)	3

#### Attachments

[EXPECTED\\_RESULT-{{\\_temp5}}](#)

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set4\]](#)



## UC01.09\_Error\_in\_test\_phase\_verify.ta

Status: Error  
Time (s): 0,016

Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
<b>TEST :</b>		
	<input type="checkbox"/> VERIFY wrongId DOES contain WITH \$(Hello)	5
	ASSERT file DOES contain WITH \$(Hello)	6
<b>TEARDOWN :</b>		
	ASSERT file DOES contain WITH \$(Hello)	9

**Attachments**

[EXPECTED\\_RESULT-{{ temp318}}](#)

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set4\]](#)

## teardown.ta

Status: Error  
Time (s): 0,014

Test steps		Line
<b>TEST :</b>		
	ASSERT file DOES contain WITH \$(Hello)	1
	<input type="checkbox"/> VERIFY wrongId DOES contain WITH \$(Hello)	2
	ASSERT file DOES contain WITH \$(Hello)	3

**Attachments**

[EXPECTED\\_RESULT-{{ temp832}}](#)

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set4\]](#)

## tests.F01.ScriptsTA.Set5

Script	Status	Time (s)
<a href="#">setup.ta</a>	Failure	0,01
<a href="#">UC01.12 Failure in test phase verify.ta</a>	Failure	0,014
<a href="#">teardown.ta</a>	Failure	0,008

[\[Back to top\]](#)

## setup.ta





Status: Failure  
Time (s): 0,01

Test steps		Line
<b>TEST :</b>		
	LOAD file.txt AS file	1
	<input type="checkbox"/> VERIFY file DOES contain WITH \$(rubbish)	2
	ASSERT file DOES contain WITH \$(Hello)	3


[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set5\]](#)

## UC01.12\_Failure\_in\_test\_phase\_verify.ta



Status: Failure  
Time (s): 0,014

Test steps		Line
<b>SETUP :</b>		
	LOAD file.txt AS file	2
<b>TEST :</b>		
	<input type="checkbox"/> VERIFY file DOES contain WITH \$(rubbish)	5
	ASSERT file DOES contain WITH \$(Hello)	6
<b>TEARDOWN :</b>		
	ASSERT file DOES contain WITH \$(Hello)	9

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set5\]](#)

 **teardown.ta**

Status: Failure  
Time (s): 0,008

Test steps		Line
<b>TEST :</b>		
	<input type="checkbox"/> VERIFY file DOES contain WITH \$(rubbish)	1
	ASSERT file DOES contain WITH \$(Hello)	2

[\[Back to top\]](#) [\[Back to tests.F01.ScriptsTA.Set5\]](#)